



Felicitats al nou graduat de doctorat de l'ICFO

El Dr. Daniel Goncalves Romeu s'ha doctorat amb una tesi titulada *Novel approaches for quantum technologies with atoms and photons in free spaces*

November 15, 2024

Felicitem al Dr. Daniel Goncalves Romeu que ha defensat la seva tesi aquest mati a la sala Elements de l'ICFO.

El Dr. Goncalves Romeu va obtenir el seu master en Fotonica a la Universitat Politecnica de Catalunya abans d'incorporar-se al grup de recerca de Theoretical Quantum-Nano Photonics dirigit pel professor ICREA a l'ICFO el Dr. Darrick Chang. La seva tesi titulada *Novel approaches for quantum technologies with atoms and photons in free space* va ser dirigida pel Prof. Darrick Chang.

RESUMEN:

The rapid advancement of quantum technologies is currently pushing the boundaries of scientific and technological innovation. Among the various platforms for translating quantum

theory into practical applications, photons have emerged as particularly strong contenders. Their inherent advantages, such as low decoherence and swift propagation, make them ideal carriers of quantum information for communication, computation and sensing purposes. However, the efficient manipulation and control of photonic quantum states presents significant challenges, often requiring the use of interfaces. In this Thesis, we investigate several novel approaches to engineer and control the properties of light using a very traditional system: trapped neutral atoms in free space.

In Chapter 2, we introduce a novel method to observe and manipulate strong quantum interference effects between a few photons and a single free-space atom. The approach uses a Maltese-cross configuration, where two perpendicular pump and probe coherent fields drive the atom. Even for a weak atom-light coupling, we demonstrate that adjusting the relative pump-probe strength ratio and phase can simulate an artificially enhanced coupling efficiency for specific observables. In particular, we are able to engineer photon correlations from fully anti-bunched to extremely bunched states, and control the linear transmission properties in specific directions.

In Chapter 3, we propose the combination of ordered atomic arrays and Rydberg Electromagnetically Induced Transparency (EIT) as a promising platform for quantum nonlinear optics. The spatial periodicity of the array enables precise control over photon scattering, reducing the inherent dissipation associated with traditional Rydberg EIT protocols. Using a two dimensional array, we design and characterize a single photon switch, where the storage of a single photon as a Rydberg excitation results in a strong change in the system's optical response. This switch can be used to implement a photon-photon gate with an error scaling with the Rydberg blockade radius as R_b^{-4} , potentially reaching gate efficiencies of up to 99% for realistic experimental parameters. Additionally, we model the optical properties of the array in the strong driving regime, where the system is multiply excited.

In Chapter 4, we discuss a recent experiment that observed features of the Driven-dissipative Dicke phase transition in a driven elongated cloud in free space. This is unexpected, as the Dicke model typically involves an ensemble coupling identically to a single, lossy photonic mode, akin to an ensemble coupled to a cavity. Instead, a free-space ensemble interacts with a continuum of modes, encoding propagation effects. Solving a simple model to explain this behavior, based on the one-dimensional Maxwell-Bloch equations, we observe nonanalytic behavior in certain observables. However, a closer analysis reveals a significant spatial inhomogeneity in atomic properties. We thus argue that the free-space system does not undergo a phase transition but rather a $i\epsilon^{1/2}$ phase separation, $i\epsilon^{1/2}$ roughly speaking, between saturated and unsaturated regions. Beyond understanding the phase transition, we also elucidate under which conditions some properties of atoms in cavities can be mapped to atoms in free space.

Together, the results in this Thesis represent a meaningful contribution towards better

understanding phenomena associated to atom-light interactions in free space, and towards translating that knowledge into practical useful implementations.

Tribunal de Tesi:

Prof. Dr. Carlos Gonzalez-Ballesteros, TU WIEN

Prof. Dr. Hugues de Riedmatten, ICFO

Prof. Dr. Alejandro Gonzalez-Tudela, IFF-CSIC