



Congratulations to New ICFO PhD graduate

Dr. Hanyu Ye graduated with a thesis entitled "Novel Pulsed Optical Parametric Sources in the Mid-Infrared and the Application Towards High-Resolution Molecular Spectroscopy"

May 03, 2019

Dr. Hanyu Ye received his Masters in Optical Engineering at the National University of Defense Technology of China before joining the Optical Parametric Oscillators group led by ICREA Prof. at ICFO Dr. Majid Ebrahim-Zadeh. During his PhD studies, he worked to develop pulsed optical parametric sources in the mid-IR region. Dr. Ye's thesis, entitled "Novel Pulsed Optical Parametric Sources in the Mid-Infrared and the Application Towards High-Resolution Molecular Spectroscopy", was supervised by Prof Majid Ebrahim Zadeh and Dr. Chaitanya K. Suddapalli.

Abstract

The mid-infrared (mid-IR) spectral region coincides with fundamental rotational-vibrational transitions of a large number of molecules in the gas phase. The strong interaction between mid-IR light sources and these gaseous molecules has enabled experimental investigations of energy-level structures of various molecules and also led to a series of spectroscopic applications in, for example, biomedicine, environmental monitoring, and combustion diagnostics. Nanosecond pulsed optical parametric sources tunable in the mid-IR are versatile tools offering the potential to access different molecular transitions. Their compact size and relatively high pulse energy allow convenient and sensitive detection in various types of spectroscopy.

Achievable narrow linewidths close to Fourier transform limit also make it possible to resolve Doppler-limited fine absorption lines and distinguish different species with high selectivity. As such, this thesis aims at the further development of pulsed optical parametric sources in the mid-IR region, employing different nonlinear materials and down-conversion configurations, as well as their application towards high-resolution molecular spectroscopy.

We have demonstrated optical parametric generation (OPG) in the newly invented nonlinear crystal, orientation-patterned gallium phosphide (OP-GaP). Pumped by a Q-switched Nd:YAG laser, the OPG source at 25 kHz repetition rate generates tunable radiation across 1721-1850 nm and 2504-2787 nm. Detailed characterization including temperature tuning, pump transmission, and OPG threshold validated the performance of OP-GaP as the next-generation quasi-phase-matched nonlinear material.

Following the development of the OPG, we further successfully demonstrated and characterized a singly-resonant optical parametric oscillator (OPO) based on OP-GaP. Driven by the same Nd:YAG laser at 50 kHz repetition rate, the OPO delivers mid-IR idler in the spectral range of 2.8-3.1 μm . Absorption-induced thermal effects in the OP-GaP sample were revealed and studied using different pump power levels.

We also demonstrated a stable, pulsed degenerate OPO at 2.1 μm based on MgO:PPLN and pumped by the same Nd:YAG laser with variable repetition rates from 65 kHz to 90 kHz. Th

OPO, in a Littrow-grating-cavity configuration, can provide up to 2.7 W of degenerate output with good pulse-to-pulse and long-term power stability. The spectral narrowing effect of the grating-cavity was also examined and compared to a plane-mirror linear cavity. Finally, we developed a high-resolution difference-frequency spectrometer in the spectral range of 3308.5-3317.3 nm. The mid-IR source for the spectrometer was based on single-frequency mode-hop-free tunable, pulsed difference-frequency-generation (DFG) in MgO:PPLN. A part of the methane spectrum in the Q-branch of ν_3 -band was resolved and compared to HITRAN simulation in both atmospheric pressure and reduced pressure. This conceptual technique can be extended to broader mid-IR regions for detecting various other molecules or to higher energy levels for nonlinear spectroscopy with high resolution.

THESIS COMMITTEE:

Prof. Valdas Pasikevicius, KTH Sweden

Prof. David Artigas, ICFO and the Universitat Politècnica de Catalunya

Prof. Frans M. Harren, Radboud Universiteit Nijmegen



Thesis committee